

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2111	nagashima.in.	US-PGPUB; USPAT	OR	OFF	2007/02/12 16:19
L2	11	nagashima.in. and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2007/02/12 16:20
L3	7	(725/53,46,139.ccls. or 348/563.ccls.) and shorten\$4.clm.	US-PGPUB; USPAT	OR	OFF	2007/02/12 16:21
L4	1	(725/53,46,139.ccls. or 348/563.ccls.) and (compress\$4 same summar\$4).clm.	US-PGPUB; USPAT	OR	OFF	2007/02/12 16:22

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2111	nagashima.in.	US-PGPUB; USPAT	OR	OFF	2007/02/12 16:19
L2	11	nagashima.in. and "725"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2007/02/12 16:20
L3	7	(725/53,46,139.ccls. or 348/563.ccls.) and shorten\$4.clm.	US-PGPUB; USPAT	OR	OFF	2007/02/12 16:21
L4	1	(725/53,46,139.ccls. or 348/563.ccls.) and (compress\$4 same summar\$4).clm.	US-PGPUB; USPAT	OR	OFF	2007/02/12 16:22
S1	44	725/53.ccls. and @ay<"2000"	US-PGPUB; USPAT	OR	OFF	2005/03/14 09:10
S2	79	725/46.ccls. and @ay<"2000"	US-PGPUB; USPAT	OR	OFF	2004/02/04 09:26
S3	6	725/53.ccls. and @ay<"2000" and (search\$3 near5 (server\$2 or HE\$2 or (head adj end\$1) or headend\$1))	US-PGPUB; USPAT	OR	OFF	2004/02/04 16:25
S4	140	"725"/\$.ccls. and @ay<"2000" and (search\$3 near5 (server\$2 or HE\$2 or (head adj end\$1) or headend\$1))	US-PGPUB; USPAT	OR	OFF	2004/02/05 09:27
S5	4	725/53.ccls. and @ay<"2000" and (compress\$4 with (server\$2 or HE\$2 or (head adj end\$1) or headend\$1))	US-PGPUB; USPAT	OR	OFF	2004/02/04 14:44
S6	294	"725"/\$.ccls. and @ay<"2000" and (compress\$4 with (server\$2 or HE\$2 or (head adj end\$1) or headend\$1))	US-PGPUB; USPAT	OR	OFF	2004/02/04 14:44
S7	170	"725"/\$.ccls. and @ay<"2000" and (compress\$4 with (server\$2 or HE\$2 or (head adj end\$1) or headend\$1) with data\$2)	US-PGPUB; USPAT	OR	OFF	2004/02/04 15:54
S8	61	"725"/\$.ccls. and @ay<"2000" and (frame\$2 with number\$2 with broadcast\$4)	US-PGPUB; USPAT	OR	OFF	2004/02/04 15:58
S9	2	"725"/\$.ccls. and @ay<"2000" and (search\$3 with frame\$2 with number\$2 with broadcast\$4)	US-PGPUB; USPAT	OR	OFF	2005/08/02 13:30
S10	2	725/53.ccls. and @ay<"2000" and ((transmit\$3 or send\$3) near5 (server\$2 or HE\$2 or (head adj end\$1) or headend\$1) near5 (criteria\$1))	US-PGPUB; USPAT	OR	OFF	2004/02/04 17:45
S11	10	"725"/\$.ccls. and @ay<"2000" and ((transmit\$3 or send\$3) near5 (server\$2 or HE\$2 or (head adj end\$1) or headend\$1) near5 (criteria\$1))	US-PGPUB; USPAT	OR	OFF	2004/02/04 16:44

## EAST Search History

S12	2	"725"/\$.ccls. and @ay<"2000" and ((verif\$4) near5 (criteria\$1))	US-PGPUB; USPAT	OR	OFF	2004/02/04 16:47
S13	1	"725"/\$.ccls. and @ay<"2000" and ((transmit\$2 or send\$2) with (search\$2) with (criteria\$1))	US-PGPUB; USPAT	OR	OFF	2004/02/04 16:49
S14	7	"725"/\$.ccls. and @ay<"2000" and ((transmit\$2 or send\$2) same (search\$2) same (criteria\$1))	US-PGPUB; USPAT	OR	OFF	2004/02/04 16:59
S15	64	"725"/\$.ccls. and @ay<"2000" and ((transmit\$2 or send\$2) with ((search\$2 near2 criteria\$1) or profile\$2 or preference\$3))	US-PGPUB; USPAT	OR	OFF	2005/03/11 16:32
S16	8	"725"/\$.ccls. and @ay<"2000" and ((transmit\$2 or send\$2) with ((search\$2 near2 criteria\$1) or profile\$2 or preference\$3) with (STB\$2 or "set top box" or receiver\$2 or terminal\$2))	US-PGPUB; USPAT	OR	OFF	2004/02/04 17:42
S17	11	"725"/\$.ccls. and @ay<"2000" and ((transmit\$2 or send\$2 or return\$3) with ((search\$2 near2 criteria\$1) or profile\$2 or preference\$3) with (STB\$2 or "set top box" or receiver\$2 or terminal\$2))	US-PGPUB; USPAT	OR	OFF	2004/02/04 17:43
S18	4	725/53.ccls. and @ay<"2000" and ((transmit\$3 or send\$3) near5 (criteria\$1))	US-PGPUB; USPAT	OR	OFF	2004/02/04 17:45
S19	27	"725"/\$.ccls. and @ay<"2000" and (define\$2 with (time\$2 or timing) with (criteria\$2 or preference\$2 or setting\$2))	US-PGPUB; USPAT	OR	OFF	2004/02/05 12:10
S20	3	"725"/\$.ccls. and @ay<"2000" and (define\$2 with (time\$2 or timing) with download\$2)	US-PGPUB; USPAT	OR	OFF	2004/02/05 09:38
S21	8	"725"/\$.ccls. and @ay<"2000" and ((time\$2 or timing) with download\$2 with (criteria\$2 or preference\$2 or setting\$2))	US-PGPUB; USPAT	OR	OFF	2004/02/05 09:39
S22	261	"725"/\$.ccls. and @ay<"2000" and ((time\$2 or timing) with download\$2)	US-PGPUB; USPAT	OR	OFF	2004/02/05 09:53
S23	1173	"725"/\$.ccls. and @ay<"2000" and ((distribut\$4 or download\$2) with (method\$2 or time\$2))	US-PGPUB; USPAT	OR	OFF	2004/02/05 09:54
S24	19	"725"/\$.ccls. and @ay<"2000" and ((distribut\$4 or download\$2) with (method\$2 or time\$2) with (criteria\$2 or preference\$2))	US-PGPUB; USPAT	OR	OFF	2004/02/05 09:58

## EAST Search History

S25	129	"725"/\$.ccls. and @ay<"2000" and ((distribut\$4 or download\$2 or view\$4) with (method\$2 or time\$2) with (criteria\$2 or preference\$2))	US-PGPUB; USPAT	OR	OFF	2004/02/05 09:58
S26	291	"725"/\$.ccls. and @ay<"2000" and ((stor\$4 or download\$4) near5 (broadcast\$2 or program\$5) near5 (STB\$2 or receiver\$2 or (set adj top)))	US-PGPUB; USPAT	OR	OFF	2004/02/05 12:20
S27	172	"725"/\$.ccls. and @ay<"2000" and ((stor\$4 or download\$4) near5 (broadcast\$2 or video\$2) near5 (STB\$2 or receiver\$2 or (set adj top)))	US-PGPUB; USPAT	OR	OFF	2004/02/05 12:36
S28	81	"725"/\$.ccls. and @ay<"2000" and ((verify\$4 or authenticat\$4) near5 (receive\$2 or download\$2))	US-PGPUB; USPAT	OR	OFF	2004/02/05 12:42
S29	19	"725"/\$.ccls. and @ay<"2000" and ((verify\$4) near5 (receive\$2 or download\$2) near5 (data\$2 or video\$2))	US-PGPUB; USPAT	OR	OFF	2004/02/05 12:44
S30	6	"725"/\$.ccls. and @ay<"2000" and ((verify\$4) near5 (request\$3) near5 (data\$2 or video\$2 or download\$2))	US-PGPUB; USPAT	OR	OFF	2004/02/05 12:47
S31	6	"725"/\$.ccls. and @ay<"2000" and ((verify\$4 or certify\$4) near5 (request\$3) near5 (data\$2 or video\$2 or download\$2))	US-PGPUB; USPAT	OR	OFF	2004/02/05 12:48
S32	152	"725"/\$.ccls. and @ay<"2000" and ((verify\$4 or certify\$4) with (data\$2 or video\$2 or download\$2))	US-PGPUB; USPAT	OR	OFF	2004/02/05 12:57
S33	35	"725"/\$.ccls. and @ay<"2000" and ((verify\$4 or certify\$4) with (requested or received) with (data\$2 or video\$2 or download\$2))	US-PGPUB; USPAT	OR	OFF	2004/02/05 13:11
S34	0	@ay<"2000" and ((verify\$4 or certify\$4) near5 (requested or received) near5 (data\$2 or video\$2 or download\$2) with (STB\$2 or (set adj top)))	US-PGPUB; USPAT	OR	OFF	2004/02/05 13:13
S35	1	@ay<"2000" and ((verify\$4 or certify\$4) near5 (requested or received) near5 (data\$2 or video\$2 or download\$2) same (STB\$2 or (set adj top)))	US-PGPUB; USPAT	OR	OFF	2004/02/05 13:13
S36	110	725/32.ccls. and @ay<"2000"	US-PGPUB; USPAT	OR	OFF	2004/02/05 13:14
S37	187	725/32,34,35.ccls. and @ay<"2000"	US-PGPUB; USPAT	OR	OFF	2004/02/05 13:15

## EAST Search History

S38	213	725/139,141.ccls. and @ay<"2000"	US-PGPUB; USPAT	OR	OFF	2004/02/05 13:15
S39	1	"20010014971".pn.	US-PGPUB; USPAT	OR	OFF	2004/07/27 10:00
S40	0	725/46,53.ccls. and @ay<"200" and (user\$ viewer\$ customer\$1 subscriber\$1) near5 (authenticat\$4)	US-PGPUB; USPAT	OR	OFF	2005/08/03 11:54
S41	2	725/46,53.ccls. and @ay<"2000" and (user\$ viewer\$ customer\$1 subscriber\$1) near5 (authenticat\$4)	US-PGPUB; USPAT	OR	OFF	2004/07/27 10:22
S42	69	"725"/\$.ccls. and @ay<"2000" and (user\$ viewer\$ customer\$1 subscriber\$1) near5 (authenticat\$4)	US-PGPUB; USPAT	OR	OFF	2004/07/27 10:46
S43	0	"725"/\$.ccls. and @ay<"2000" and ((user\$ viewer\$ customer\$1 subscriber\$1) near5 (authenticat\$4)) same (EPG\$1 IPG\$1 guide\$1)	US-PGPUB; USPAT	OR	OFF	2004/07/27 10:23
S44	14	"725"/\$.ccls. and @ay<"2000" and ((user\$ viewer\$ customer\$1 subscriber\$1) near5 (authenticat\$4)) and (EPG\$1 IPG\$1 guide\$1)	US-PGPUB; USPAT	OR	OFF	2004/07/27 10:23
S45	7	725/37-56.ccls. and @ay<"2000" and (user\$ viewer\$ customer\$1 subscriber\$1) near5 (authenticat\$4)	US-PGPUB; USPAT	OR	OFF	2005/08/03 11:54
S51	1	"5945987".pn.	US-PGPUB; USPAT	OR	OFF	2004/11/17 12:50
S52	169	"725"/\$.ccls. and @ay<"2000" and (generat\$4 gather\$4 compil\$4) with (EPG\$1 IPG\$1 guide\$1) with (data\$1 database\$1 (data adj2 base\$1))	US-PGPUB; USPAT	OR	OFF	2005/03/11 16:35
S53	891	348/563-568.ccls. and @ay<"2000"	US-PGPUB; USPAT	OR	OFF	2005/03/14 09:10
S54	45	348/563-568.ccls. and @ay<"2000" and (generat\$4 gather\$4 compil\$4) with (EPG\$1 IPG\$1 guide\$1) with (data\$1 database\$1 (data adj2 base\$1))	US-PGPUB; USPAT	OR	OFF	2005/08/03 11:54
S55	832	@ay<"2000" and (generat\$4 gather\$4 compil\$4) with (EPG\$1 IPG\$1 guide\$1) with (data\$1 database\$1 (data adj2 base\$1))	US-PGPUB; USPAT	OR	OFF	2005/03/14 09:45

## EAST Search History

S56	20	@ay<"2000" and (generat\$4 gather\$4 compil\$4) with (EPG\$1 IPG\$1 guide\$1) with (data\$1 database\$1 (data adj2 base\$1)) with (manual\$4)	US-PGPUB; USPAT	OR	OFF	2005/03/14 09:45
S57	0	725/37-61.ccls. and @ay<"1999" and (child\$1 near3 screen\$1) with (scene near3 chang\$4)	US-PGPUB; USPAT	OR	OFF	2005/08/02 13:32
S58	17	725/37-61.ccls. and @ay<"1999" and (scene near3 chang\$4)	US-PGPUB; USPAT	OR	OFF	2005/08/03 11:55
S59	1	@ay<"1999" and (scene near3 chang\$4) with (EPG\$1 IPG\$1 guide\$1)	US-PGPUB; USPAT	OR	OFF	2005/08/02 14:46
S60	29	@ay<"1999" and (scene near3 chang\$4) same (EPG\$1 IPG\$1 guide\$1)	US-PGPUB; USPAT	OR	OFF	2005/08/02 14:47
S61	0	@ay<"1999" and (scene near3 chang\$4) same (EPG\$1 IPG\$1 (program\$1 adj3 guide\$1))	US-PGPUB; USPAT	OR	OFF	2005/08/02 14:48
S62	27	@ay<"1999" and (scene near3 chang\$4) and (EPG\$1 IPG\$1 (program\$1 adj3 guide\$1))	US-PGPUB; USPAT	OR	OFF	2005/08/02 14:48
S63	65	"725"/\$.ccls. and @ay<"1999" and (scene near3 chang\$4)	US-PGPUB; USPAT	OR	OFF	2005/08/02 15:59
S64	45	348/563-568.ccls. and @ay<"2000" and (generat\$4 gather\$4 compil\$4) with (EPG\$1 IPG\$1 guide\$1) with (data\$1 database\$1 (data adj2 base\$1))	US-PGPUB; USPAT	OR	OFF	2005/08/03 11:54
S65	0	725/46,53.ccls. and @ay<"200"	US-PGPUB; USPAT	OR	OFF	2005/08/03 11:54
S66	129	725/46,53.ccls. and @ay<"2000"	US-PGPUB; USPAT	OR	OFF	2005/08/03 11:54
S67	815	725/37-56.ccls. and @ay<"2000"	US-PGPUB; USPAT	OR	OFF	2005/12/13 09:50
S68	17	725/37-61.ccls. and @ay<"1999" and (scene near3 chang\$4)	US-PGPUB; USPAT	OR	OFF	2005/08/03 11:55
S69	1	("6631523" "5880720" "5487703" "5945987" "5666645").pn. and logical\$1	US-PGPUB; USPAT	OR	OFF	2005/12/13 08:50
S70	1	("6631523" "5880720" "5487703" "5945987" "5666645").pn. and (logical\$1 logic\$1)	US-PGPUB; USPAT	OR	OFF	2005/12/13 09:47
S71	2	("6631523" "5880720" "5487703" "5945987" "5666645").pn. and (logical\$1 logic\$1 "and" "or")	US-PGPUB; USPAT	OR	OFF	2005/12/13 08:51

## EAST Search History

S72	5	("6631523" "5880720" "5487703" "5945987" "5666645").pn.	US-PGPUB; USPAT	OR	OFF	2005/12/13 08:52
S73	1	("6631523" "5880720" "5487703" "5945987" "5666645").pn. and (logical\$1 logic\$1 boolean\$1)	US-PGPUB; USPAT	OR	OFF	2005/12/13 09:47
S74	282	725/37-56.ccls. and @ay<"2000" and (logical\$1 logic\$1 boolean\$1)	US-PGPUB; USPAT	OR	OFF	2005/12/13 09:51
S75	5	725/37-56.ccls. and @ay<"2000" and (logical\$1 logic\$1 boolean\$1) with (operator\$1)	US-PGPUB; USPAT	OR	OFF	2005/12/13 11:06
S76	2	"725"/\$.ccls. and @ay<"2000" and ((logical\$1 logic\$1 boolean\$1) with (operator\$1)) same (EPG\$1 IPG\$1 guide\$1)	US-PGPUB; USPAT	OR	OFF	2005/12/13 14:45
S77	92	@ay<"2000" and ((logical\$1 logic\$1 boolean\$1) with (operator\$1)) same (EPG\$1 IPG\$1 guide\$1)	US-PGPUB; USPAT	OR	OFF	2005/12/13 11:07
S78	18	@ay<"2000" and ((logical\$1 logic\$1 boolean\$1) with (operator\$1)) same (EPG\$1 IPG\$1 guide\$1) same (process\$4)	US-PGPUB; USPAT	OR	OFF	2005/12/13 11:08
S79	1	"725"/\$.ccls. and @ay<"2000" and ((logical\$1 logic\$1 boolean\$1) with (operator\$1)) same (summar\$4)	US-PGPUB; USPAT	OR	OFF	2005/12/13 14:46
S80	96	@ay<"2000" and ((logical\$1 logic\$1 boolean\$1) with (operator\$1)) same (summar\$4)	US-PGPUB; USPAT	OR	OFF	2005/12/13 14:46
S81	24	@ay<"2000" and ((logical\$1 logic\$1 boolean\$1) with (operator\$1)) same (summar\$4) and (EPG\$1 IPG\$1 guide\$1)	US-PGPUB; USPAT	OR	OFF	2005/12/13 14:46